

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1 – 94. (Cancelled).

95. (Currently amended) A cosmetic composition comprising, in a cosmetically acceptable organic liquid medium, at least one block polymer and at least one plasticizer, wherein:

- the at least one block polymer has a polydispersity index I of greater than 2 and is a film-forming linear ethylenic polymer devoid of styrene;

- the at least one plasticizer is a compound, the nature and the amount of which allow the cosmetic composition to form a film having a hardness of less than or equal to 35 seconds, the hardness of the film being measured using a Persoz pendulum according to the December 1991 version of Standard NF-T-30-016; and

- the at least one block polymer comprises at least one first block and at least one second block having different glass transition temperatures (T_g), wherein the at least one first block and the at least one second block are connected to one another via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, and further wherein said intermediate block is a random copolymer block.

96. (Previously presented) The cosmetic composition according to Claim 95, wherein the film has a hardness of less than 30 seconds.

97. (Previously presented) The cosmetic composition according to Claim 95, wherein the film has a hardness ranging from 8 to 35 seconds.

98. (Previously presented) The cosmetic composition according to Claim 95, wherein the film has a hardness ranging from 12 to 25 seconds.

99. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is a compound having a solubility parameter δ_h ranging from 5.5 to 11 (J/cm³)^{1/2}.

100. (Currently amended) A cosmetic composition comprising, in a cosmetically acceptable organic liquid medium, at least one block polymer and at least one plasticizer, wherein:

- the at least one block polymer has a polydispersity index I of greater than 2 and is a film-forming linear ethylenic polymer;

- the at least one plasticizer is a compound having a solubility parameter δ_h ranging from 5.5 to 11 (J/cm³)^{1/2}; and

- the at least one block polymer comprises at least one first block and at least one second block having different glass transition temperatures (T_g), wherein the at least one first block and the at least one second block are connected to one another via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, and further wherein said intermediate block is a random copolymer block.

101. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer is non-elastomeric.

102. (Canceled).

103. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one first block and the at least one second block are incompatible with one another.

104. (Canceled).

105. (Currently amended) The cosmetic composition according to Claim 95, wherein the at least one first block of the block polymer is chosen from:

a) a block having a Tg of greater than or equal to 40°C,

b) a block having a Tg of less than or equal to 20°C,

c) a block having a Tg of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) [[or]] and c) different from the at least one first block.

106. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer comprises at least one first block having a glass transition temperature (Tg) of greater than or equal to 40°C and at least one second block having a glass transition temperature of less than or equal to 20°C.

107. (Previously presented) The cosmetic composition according to Claim 106, wherein the at least one first block is present in an amount ranging from 20 to 90% by weight relative to the total weight of the polymer.

108. (Previously presented) The cosmetic composition according to Claim 107, wherein the at least one first block is present in an amount ranging from 50 to 70% by weight relative to the total weight of the polymer.

109. (Previously presented) The cosmetic composition according to Claim 105, wherein the at least one second block having a Tg of less than or equal to 20°C is

present in an amount ranging from 5 to 75% by weight relative to the total weight of the polymer.

110. (Previously presented) The cosmetic composition according to Claim 109, wherein at least one second block having a T_g of less than or equal to 20°C is present in an amount ranging from 25 to 45% by weight relative to the total weight of the polymer.

111. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer comprises at least one first block having a glass transition temperature (T_g) of between 20 and 40°C and at least one second block having a glass transition temperature of less than or equal to 20°C or a glass transition temperature of greater than or equal to 40°C.

112. (Previously presented) The cosmetic composition according to Claim 111, wherein the at least one first block having a T_g of between 20 and 40°C is present in an amount ranging from 10 to 85% by weight relative to the total weight of the polymer.

113. (Previously presented) The cosmetic composition according to Claim 112, wherein the at least one first block having a T_g of between 20 and 40°C is present in an amount ranging from 50 to 70% by weight relative to the total weight of the polymer.

114. (Previously presented) The cosmetic composition according to Claim 111, wherein the at least one second block has a T_g of greater than or equal to 40°C.

115. (Previously presented) The cosmetic composition according to Claim 111, wherein the at least one second block having a T_g of greater than or equal to 40°C

is present in an amount ranging from 10 to 85% by weight relative to the total weight of the polymer.

116. (Previously presented) The cosmetic composition according to Claim 115, wherein the at least one second block having a T_g of greater than or equal to 40°C is present in an amount ranging from 30 to 70% by weight relative to the total weight of the polymer.

117. (Previously presented) The cosmetic composition according to Claim 111, wherein the at least one second block has a T_g of less than or equal to 20°C.

118. (Previously presented) The cosmetic composition according to Claim 105, wherein the at least one block having a glass transition temperature of less than or equal to 20°C is present in an amount ranging from 20 to 90% by weight relative to the total weight of the polymer.

119. (Previously presented) The cosmetic composition according to Claim 105, wherein the at least one block having a glass transition temperature of less than or equal to 20°C is present in an amount ranging from 50 to 70% by weight relative to the total weight of the polymer.

120. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a T_g of greater than or equal to 40°C results, in all or in part, from at least one monomer, the homopolymer of which has a glass transition temperature of greater than or equal to 40°C.

121. (Previously presented) The cosmetic composition according to Claim 120, wherein the block having a T_g of greater than or equal to 40°C results, in all or in

part, from at least one monomer, the homopolymer of which has a glass transition temperature ranging from 60 to 120°C.

122. (Previously presented) The cosmetic composition according to Claim 121, wherein the block having a T_g of greater than or equal to 40°C is a copolymer resulting from the at least one monomer, the homopolymer of which has a glass transition temperature of greater than or equal to 40°C.

123. (Currently amended) The cosmetic composition according to Claim 120, wherein the at least one monomer, the homopolymer of which has a glass transition temperature of greater than or equal to 40°C, is chosen from the following monomers:


- methacrylates of formula $\text{CH}_2=\text{C}(\text{CH}_3)\text{-COOR}_1$,

in which R₁ is chosen from an unsubstituted linear or branched C₁ to C₄ alkyl group and a C₄ to C₁₂ cycloalkyl group;

- acrylates of formula $\text{CH}_2=\text{CH-COOR}_2$,

in which R₂ is chosen from a C₄ to C₁₂ cycloalkyl group and a tert-butyl group;

- (meth)acrylamides of formula:



where R₇ and R₈, which are identical or different, each are chosen from a hydrogen atom and a linear or branched C₁ to C₁₂ alkyl group, or R₇ is hydrogen and R₈ is a 1,1-dimethyl-3-oxobutyl group, and R' is chosen from hydrogen [[or]] and methyl;

- and their mixtures.

124. (Previously presented) The cosmetic composition according to Claim 118, wherein the at least one monomer, the homopolymer of which has a glass transition temperature of greater than or equal to 40°C, is chosen from methyl methacrylate, isobutyl methacrylate, isobornyl (meth)acrylate and their mixtures.

125. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a T_g of greater than or equal to 40°C is a homopolymer.

126. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a T_g of less than or equal to 20°C results, in all or in part, from at least one monomer, the homopolymer of which has a glass transition temperature of less than or equal to 20°C.

127. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a T_g of less than or equal to 20°C results, in all or in part, from at least one monomer, the homopolymer of which has a glass transition temperature ranging from -50 to 0 °C.

128. (Currently amended) The cosmetic composition according to Claim 127, wherein the at least one monomer, the homopolymer of which has a glass transition temperature of less than or equal to 20°C, is chosen from the following monomers:

- acrylates of formula CH₂=CHCOOR₃,

R₃ is an unsubstituted linear or branched C₁ to C₁₂ alkyl group, with the exception of the tert-butyl group, in which ~~at least one~~ or more heteroatoms chosen from O, N ~~[[or]] and S~~ [[is]] are optionally inserted;

- methacrylates of formula $\text{CH}_2=\text{C}(\text{CH}_3)\text{-COOR}_4$,

R_4 is an unsubstituted linear or branched C_6 to C_{12} alkyl group in which ~~at least~~ one or more heteroatoms chosen from O, N and S ~~[[is]]~~ are optionally inserted;

- vinyl esters of formula $\text{R}_5\text{-CO-O-CH=CH}_2$,

where R_5 is a linear or branched C_4 to C_{12} alkyl group;

- C_4 to C_{12} alkyl vinyl ethers, ~~such as methyl vinyl ether and ethyl vinyl ether;~~

- N-(C_4 to C_{12} alkyl)acrylamides, ~~such as N-octylacrylamide;~~

- and their mixtures.

129. (Currently amended) The cosmetic composition according to Claim 126, wherein the at least one monomer, the homopolymer of which has a glass transition temperature of less than or equal to 20°C , is chosen from C_1 to C_{10} alkyl acrylates, with the exception of ~~[[the]]~~ a tert-butyl group.

130. (Previously presented) The cosmetic composition according to Claim 112, wherein the block having a glass transition temperature of less than or equal to 20°C is a homopolymer.

131. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a T_g of between 20 and 40°C results, in all or in part, from at least one monomer, the homopolymer of which has a glass transition temperature of between 20 and 40°C .

132. (Currently amended) The cosmetic composition according to Claim 105, wherein the block having a T_g of between 20 and 40°C is a homopolymer of at least one monomer chosen from n-butyl methacrylate, cyclodecyl acrylate, neopentyl acrylate ~~[[or]]~~ and isodecylacrylamide.

133. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a Tg of between 20 and 40°C is a copolymer resulting, in all or in part, from:

- at least one monomer, the homopolymer of which has a Tg of greater than or equal to 40°C; and
- at least one monomer, the homopolymer of which has a Tg of less than or equal to 20°C.

134. (Previously presented) The cosmetic composition according to Claim 133, wherein the homopolymer of which has a Tg of greater than or equal to 40°C, ranges from 60 to 120°C and the homopolymer of which has a Tg of less than or equal to 20°C, ranges from -50 to 0°C.

135. (Previously presented) The cosmetic composition according to Claim 105, wherein the block having a Tg of between 20 and 40°C results, in all or in part, from at least one monomer chosen from methyl methacrylate, isobornyl (meth)acrylate, trifluoroethyl methacrylate, butyl acrylate, 2-ethylhexyl acrylate and their mixtures.

136. (Previously presented) The cosmetic composition according to Claim 105, wherein the at least one first block and/or the at least one second block comprises at least one additional monomer.

137. (Previously presented) The cosmetic composition according to Claim 136, wherein the at least one additional monomer is chosen from hydrophilic monomers, monomers with ethylenic unsaturation comprising at least one silicon atom, and their mixtures.

138. (Currently amended) The cosmetic composition according to Claim 136, wherein the at least one additional monomer is chosen from:

- monomers with ethylenic unsaturation(s) comprising at least one carboxylic or sulfonic acid functional group;

- methacrylates of formula $\text{CH}_2=\text{C}(\text{CH}_3)\text{-COOR}_6$;

in which R_6 is a linear or branched C_1 to C_4 alkyl group, said alkyl group being substituted by at least one substituent chosen from a hydroxyl group and halogen atoms;

- methacrylates of formula $\text{CH}_2=\text{C}(\text{CH}_3)\text{-COOR}_9$,

R_9 is a linear or branched C_6 to C_{12} alkyl group into which at least one or more heteroatoms chosen from O, N and S [[is]] are optionally inserted, the alkyl group being substituted by at least one substituent chosen from a hydroxyl group and halogen atoms;

- acrylates of formula $\text{CH}_2=\text{CHCOOR}_{10}$,

R_{10} is a linear or branched C_1 to C_{12} alkyl group substituted by at least one substituent chosen from a hydroxyl group and halogen atoms, or R_{10} is a $(\text{C}_1\text{-C}_{12})$ alkyl-O-POE (polyoxyethylene) with repetition of the oxyethylene unit from 5 to 30 times, or R_{10} is a polyoxyethylene group comprising from 5 to 30 ethylene oxide units;

- monomers with ethylenic unsaturation(s) comprising at least one tertiary amine functional group;

- and their mixtures.

139. (Previously presented) The cosmetic composition according to Claim 136, wherein the at least one additional monomer is chosen from acrylic acid, methacrylic acid, trifluoroethyl methacrylate and their mixtures.

140. (Previously presented) The cosmetic composition according to Claim 136, wherein the at least one additional monomer is present in an amount ranging from 1 to 30% by weight of the total weight of the at least one first block and/or the at least one second block.

141. (Previously presented) The cosmetic composition according to Claim 105, wherein each of the at least one first block and the at least one second block comprise at least one monomer chosen from (meth)acrylic acid esters and optionally at least one monomer chosen from (meth)acrylic acid, and their mixtures.

142. (Currently amended) The cosmetic composition according to Claim 105, wherein each of the at least one first block and the at least one second block results, in all, from at least one monomer chosen from (meth)acrylic acid esters [[from]] and at least one monomer chosen from (meth)acrylic acid, and their mixtures.

143. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one first block and the at least one second block are such that the difference between the glass transition temperatures (T_g) of the at least one first block and the at least one second block is greater than 10°C.

144. (Previously presented) The cosmetic composition according to Claim 143, wherein the at least one first block and the at least one second block are such that the difference between the glass transition temperatures (T_g) of the at least one first block and the at least one second block is greater than 40°C.

145. (Previously presented) The cosmetic composition according to Claim 95, wherein the intermediate block has a glass transition temperature between the glass transition temperature of the at least one first block and the glass transition temperature of the at least one second block.

146. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer has a polydispersity index of greater than or equal to 2.5.

147. (Previously presented) The cosmetic composition according to Claim 146, wherein the at least one block polymer has a polydispersity index of from 2.8 to 6.

148. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer has a weight-average mass (M_w) of less than or equal to 300,000.

149. (Previously presented) The cosmetic composition according to Claim 148, wherein the at least one block polymer has a weight-average mass ranging from 45,000 to 150,000.

150. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer has a number-average mass (M_n) of less than or equal to 70,000.

151. (Previously presented) The cosmetic composition according to Claim 150, wherein the at least one block polymer has a number-average mass ranging from 12,000 to 50,000.

152. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer is insoluble, at an active material content of

at least 1% by weight, in water or in a mixture of water and of linear or branched lower monoalcohols having from 2 to 5 carbon atoms, without modification of pH, at ambient temperature (25°C).

153. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer is present in an amount ranging from 0.1% to 90% by weight relative to the total weight of the composition.

154. (Previously presented) The cosmetic composition according to Claim 153, wherein the at least one block polymer is present in an amount ranging from 0.5% to 30% by weight relative to the total weight of the composition.

155. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is a compound having a solubility parameter δ_h ranging from 5.5 to 11 (J/cm³)^{1/2}.

156. (Previously presented) The cosmetic composition according to Claim 155, wherein the at least one plasticizer is a compound having a solubility parameter δ_h ranging from 8 to 10 (J/cm³)^{1/2}.

157. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is a compound having a solubility parameter δ_p ranging from 1.5 to 4.5 (J/cm³)^{1/2}.

158. (Previously presented) The cosmetic composition according to Claim 157, wherein the at least one plasticizer is a compound having a solubility parameter δ_p ranging from 2 to 3 (J/cm³)^{1/2}.

159. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer has a molecular mass of less than or equal to 5,000 g/mol.

160. (Previously presented) The cosmetic composition according to Claim 159, wherein the at least one plasticizer has a molecular mass of greater than or equal to 100 g/mol.

161. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is an ester.

162. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is chosen from esters of at least one carboxylic acid comprising 1 to 7 carbon atoms and at least one polyol comprising at least 4 hydroxyl groups.

163. (Previously presented) The cosmetic composition according to Claim 162, wherein the at least one polyol is a monosaccharide.

164. (Previously presented) The cosmetic composition according to Claim 163, wherein the monosaccharide is a cyclized monosaccharide in the hemiacetal form.

165. (Previously presented) The cosmetic composition according to Claim 162, wherein the at least one polyol is chosen from D-ribose, D-xylose, L-arabinose, D-glucose, D-mannose, D-galactose, D-xylulose and D-fructose.

166. (Previously presented) The cosmetic composition according to Claim 165, wherein the at least one polyol is a mono- or polysaccharide comprising from 1 to 10 monosaccharide units.

167. (Previously presented) The cosmetic composition according to Claim 162, wherein the at least one polyol is a mono- or polysaccharide comprising one or two monosaccharide units.

168. (Currently amended) The cosmetic composition according to Claim 162, wherein the at least one polyol is chosen from erythritol, xylitol, sorbitol, glucose, sucrose, lactose [[or]] and maltose.

169. (Previously presented) The cosmetic composition according to Claim 162, wherein the at least one polyol is sucrose.

170. (Previously presented) The cosmetic composition according to Claim 161, wherein the ester is a polyol esterified by at least two different monocarboxylic acids.

171. (Currently amended) The cosmetic composition according to Claim [[161]] 162, wherein the at least one carboxylic acid is a C₁ to C₇ monocarboxylic acid.

172. (Previously presented) The cosmetic composition according to Claim 171, wherein the carboxylic acid is a C₁ to C₅ monocarboxylic acid.

173. (Currently amended) The cosmetic composition according to Claim [[161]] 162, wherein the at least one carboxylic acid is chosen from acetic, n-propanoic, isopropanoic, n-butanoic, isobutanoic, tert-butanoic, n-pentanoic and benzoic acids.

174. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is a sucrose diacetate hexa(2-methylpropanoate).

175. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is chosen from esters of an aliphatic or aromatic

polycarboxylic acid and of an aliphatic or aromatic alcohol comprising from 1 to 10 carbon atoms.

176. (Currently amended) The cosmetic composition according to Claim 175, wherein:


- the aliphatic alcohol is chosen from alcohols R_1OH , wherein R_1 is chosen from methyl, ethyl, propyl, isopropyl, butyl, hexyl, ethylhexyl, decyl, isodecyl, benzyl [[or]] and benzyl substituted by a C_1 to C_3 alkyl, and their mixtures;

- the aliphatic or aromatic polycarboxylic acid comprises from 3 to 12 carbon atoms.

177. (Previously presented) The cosmetic composition according to Claim 175, wherein the aliphatic or aromatic polycarboxylic acid is chosen from dicarboxylic acids and tricarboxylic acids.

178. (Previously presented) The cosmetic composition according to Claim 175, wherein the polycarboxylic acid is a dicarboxylic acid chosen from succinic acid, adipic acid, sebacic acid and phthalic acid.

179. (Previously presented) The cosmetic composition according to Claim 175, wherein the polycarboxylic acid is an acid of formula:



in which R is chosen from -H, -OH and -OCOR' groups in which R' is a C_1 to C_6 alkyl group.

180. (Previously presented) The cosmetic composition according to Claim 175, wherein the polycarboxylic acid is chosen from acetylcitric acid, butyroylcitric acid and citric acid.

181. (Previously presented) The cosmetic composition according to Claim 175, wherein the ester is chosen from tributyl acetylcitrate, triethyl acetylcitrate, triethylhexyl acetylcitrate, trihexyl acetylcitrate, trihexyl butyroylcitrate, triisodecyl citrate, triisopropyl citrate, tributyl citrate and tri(2-ethylhexyl) citrate, dibutyl adipate, di(2-ethylhexyl) adipate, dibutyl sebacate, di(2-ethylhexyl) sebacate, diethyl sebacate, diisopropyl sebacate, di(2-ethylhexyl) succinate, diethyl succinate, butyl benzyl phthalate, dibutyl phthalate, diethylhexyl phthalate, diethyl phthalate and dimethyl phthalate.

182. (Currently amended) The cosmetic composition according to Claim 155, wherein the at least one plasticizer does not comprise any polar group with the exception of the ester group wherein said [“”] polar group[“s”] is [“are”] defined as an ionic or non-ionic polar group[“s”] chosen from -COOH, -OH, ethylene oxide, propylene oxide, -PO₄, -NHR and -NR₁R₂ group[“s”] wherein R₁ and R₂ are chosen, independently, from C₁ to C₂₀ alkyl radicals and C₁ to C₂₀ alkoxy radicals which can be linear, branched or cyclic.

183. (Previously presented) The cosmetic composition according to Claim 182, wherein the at least one plasticizer does not comprise any hydroxyl group.

184. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one plasticizer is present in an amount ranging from 0.1% to 25% by weight relative to the total weight of the composition.

185. (Previously presented) The cosmetic composition according to Claim 184, wherein the at least one plasticizer is present in an amount ranging from 3% to 15% by weight relative to the total weight of the composition.

186. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one block polymer and the at least one plasticizer are present in an amount such that the ratio by weight of the block polymer to the plasticizer ranges from 0.5 to 100.

187. (Previously presented) The cosmetic composition according to Claim 186, wherein the at least one block polymer and the at least one plasticizer are present in an amount such that the ratio by weight of the block polymer to the plasticizer ranges from 1 to 5.

188. (Previously presented) The cosmetic composition according to Claim 95, further comprising at least one volatile oil.

189. (Currently amended) The cosmetic composition according to Claim 95, further comprising at least one volatile oil chosen from octamethylcyclotetrasiloxane, decamethylcyclopentasiloxane, dodecamethylcyclohexasiloxane, heptamethylhexyltrisiloxane, heptamethyloctyltrisiloxane, octamethyltrisiloxane, decamethyltetrasiloxane, isododecane, isodecane [[or]] and isohexadecane.

190. (Previously presented) The cosmetic composition according to Claim 188, wherein the at least one volatile oil is present in an amount ranging from 0.1% to 90% by weight relative to the total weight of the composition.

191. (Previously presented) The cosmetic composition according to Claim 188, wherein the at least one volatile oil is present in an amount ranging from 5% to 50% by weight relative to the total weight of the composition.

192. (Previously presented) The cosmetic composition according to Claim 95, further comprising at least one nonvolatile oil.

193. (Previously presented) The cosmetic composition according to Claim 192, wherein the at least one nonvolatile oil is chosen from nonvolatile hydrocarbon oils and nonvolatile silicone oils.

194. (Previously presented) The cosmetic composition according to Claim 95, wherein the at least one nonvolatile oil is present in an amount ranging from 0.1% to 20% by weight relative to the total weight of the composition.

195. (Previously presented) The cosmetic composition according to Claim 194, wherein the at least one nonvolatile oil is present in an amount ranging from 1% to 10% by weight relative to the total weight of the composition.

196. (Previously presented) The cosmetic composition according to Claim 95, further comprising at least one fatty substance which is solid at ambient temperature chosen from waxes, pasty fatty substances, gums and their mixtures.

197. (Currently amended) The cosmetic composition according to Claim 95, further comprising from 0.1 to 50% by weight of waxes relative to the total weight of the composition.

198. (Previously presented) The cosmetic composition according to Claim 197, comprising from 1 to 30% by weight of waxes relative to the total weight of the composition.

199. (Previously presented) The cosmetic composition according to Claim 95, further comprising a coloring material.

200. (Previously presented) The cosmetic composition according to Claim 95, further comprising at least one cosmetic ingredient chosen from additional film-forming polymers, vitamins, thickeners, trace elements, softeners, sequestering agents, fragrances, basifying or acidifying agents, preservatives, sunscreen agents, surfactants, antioxidants, agents for combating hair loss, antidandruff agents, propellants and their mixtures.

201. (Previously presented) The cosmetic composition according to Claim 95, wherein the cosmetic composition is provided in the form of a suspension, dispersion, solution, gel, emulsion, cream, foam, dispersion of vesicles, two-phase or multiphase lotion, spray, and powder.

202. (Currently amended) The cosmetic composition according to Claim 95, wherein the cosmetic composition is provided in the form of a paste chosen from a soft paste [[or]] and anhydrous paste.

203. (Previously presented) The cosmetic composition according to Claim 95, wherein the cosmetic composition is provided in anhydrous form.

204. (Previously presented) The cosmetic composition according to Claim 95, wherein the cosmetic composition is a product for making up or caring for keratinous substances.

205. (Previously presented) The cosmetic composition according to Claim 95, wherein the cosmetic composition is a product for making up the lips.

206. (Currently amended) A multi-compartment kit comprising:

a) a container delimiting at least one compartment, the container being closed by a closing element; and

b) a composition positioned inside the at least one compartment, wherein the composition comprises, in a cosmetically acceptable organic liquid medium, at least one block polymer and at least one plasticizer, wherein:

- the at least one block polymer has a polydispersity index I of greater than 2 and is a film-forming linear ethylenic polymer devoid of styrene;

- the at least one plasticizer is a compound, the nature and the amount of which allow the composition to form a film having a hardness of less than or equal to 35 seconds, the hardness of the film being measured using a Persoz pendulum according to the December 1991 version of Standard NF-T-30-016; and

- the at least one block polymer comprises at least one first block and at least one second block having different glass transition temperatures (T_g), wherein the at least one first block and the at least one second block are connected to one another via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, and further wherein said intermediate block is a random copolymer block.

207. (Previously presented) The cosmetic assembly according to Claim 206, wherein the container is formed, at least partially, of at least one thermoplastic material.

208. (Currently amended) The ~~Cosmetic~~ cosmetic assembly according to Claim 206, wherein the container is formed, at least partially, of at least one nonthermoplastic material.

209. (Previously presented) The cosmetic assembly according to Claim 206, wherein, in the closed position of the container, the closing element is screwed to the container.

210. (Previously presented) The cosmetic assembly according to Claim 206, wherein, in the closed position of the container, the closing element is coupled to the container in a manner other than by screwing.

211. (Previously presented) The cosmetic assembly according to Claim 206, wherein, in the closed position of the container, the closing element is coupled to the container by snapping, adhesive bonding, and/or welding.

212. (Previously presented) The cosmetic assembly according to Claim 206, wherein the composition is substantially at atmospheric pressure inside the compartment.

213. (Previously presented) The cosmetic assembly according to Claim 206, wherein the composition is pressurized inside the container.

214. (Currently amended) A cosmetic process for making up or caring for keratinous substances, comprising:

applying to the keratinous substances a cosmetic composition;

the composition comprising, in a cosmetically acceptable organic liquid medium, at least one block polymer and at least one plasticizer, wherein:

- the at least one block polymer has a polydispersity index I of greater than 2 and is a film-forming linear ethylenic polymer devoid of styrene;

- the at least one plasticizer is a compound, the nature and the amount of which allow the cosmetic composition to form a film having a hardness of less than or equal to

35 seconds, the hardness of the film being measured using a Persoz pendulum according to the December 1991 version of Standard NF-T-30-016; and

- the at least one block polymer comprises at least one first block and at least one second block having different glass transition temperatures (T_g), wherein the at least one first block and the at least one second block are connected to one another via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, and further wherein said intermediate block is a random copolymer block.

215. (Currently amended) A process for producing a deposited layer on keratinous substances which is flexible and/or comfortable over time, said process comprising:

applying to said keratinous substances a composition comprising, in a cosmetically acceptable organic liquid medium, at least one block polymer and at least one plasticizer, wherein:

- the at least one block polymer has a polydispersity index I of greater than 2 and is a film-forming linear ethylenic polymer devoid of styrene;

- the at least one plasticizer is a compound, the nature and the amount of which allow the cosmetic composition to form a film having a hardness of less than or equal to 35 seconds, the hardness of the film being measured using a Persoz pendulum according to the December 1991 version of Standard NF-T-30-016; and

- the at least one block polymer comprises at least one first block and at least one second block having different glass transition temperatures (T_g), wherein the at least one first block and the at least one second block are connected to one another via

an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, and further wherein said intermediate block is a random copolymer block.

216. (Currently amended) A process for producing a deposited layer on keratinous substances which is flexible and/or comfortable over time, said process comprising:

applying to said keratinous substances a cosmetic composition comprising, in a cosmetically acceptable organic liquid medium,

- at least one film-forming linear ethylenic block polymer having a polydispersity index I of greater than 2;

- at least one plasticizer having a solubility parameter δ_h ranging from 5.5 to 11 $(\text{J}/\text{cm}^3)^{1/2}$; and

- the at least one block polymer comprises at least one first block and at least one second block having different glass transition temperatures (T_g), wherein the at least one first block and the at least one second block are connected to one another via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, and further wherein said intermediate block is a random copolymer block.